


PRINTED CATALOGUE



WEBSITE LINK

[/ products / complementary pole products](#)

PRODUCT NO:

DESCRIPTION:

IMAGE

aluminium door
covers



ZINCOMETAL S.A. is constantly developing and improving its products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. Regarding the validity of the International Standards it is considered always the oldest edition.

Stay tuned with the company by signing up in ZINCOMETAL's Newsletter (www.zincometal.gr) and Social Media.

1.4.4. Aluminium door covers

Introduction In order to enhance the aesthetic result of the lighting poles and to improve the protection of the door opening, the company offers aluminium door covers.

- Features**
- Suitable for pole diameter: min $\Phi 76$ mm – max $\Phi 168$ mm.
 - Door cover has a special lock which opens with its keys.
 - Waterproof through an elastic gasket.
 - Complies with European Standards.

| Range | Pole door opening dimensions | Door cover dimensions | Pole diameter | Ingress protection | Mechanical impact |
|-------|------------------------------|-----------------------|-------------------------|--------------------|-------------------|
| PPA1 | 38x132mm | 158x64mm | $\Phi 76$ - $\Phi 89$ | IP55 | IK08 |
| PGA1 | 45x186mm | 213x72mm | $\Phi 102$ - $\Phi 114$ | IP55 | IK08 |
| PGA2 | 45x186mm | 213x72mm | $\Phi 127$ - $\Phi 168$ | IP55 | IK08 |

Aluminium door covers

1st PPA1

2nd PGA1

3rd PGA2



Copyright © 2014 - All rights reserved ZINCOMETAL S.A.

All rights reserved.

Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent or other industrial or intellectual property rights.



www.zincometal.gr

Δ. 10ο χλμ. Κιλκίς-Πολυκάστρου
61100 Κιλκίς, τ.θ. 21
AD. 10th km. Kilkis - Polikastro
P.C. 61100 Kilkis, Greece

T. +30 23410 75651-3
+30 23410 71581
F. +30 23410 71734

E. info@zincometal.gr
WEB. www.zincometal.gr

The logo for ZIN lux lighting features a stylized light fixture icon on the left, consisting of a semi-circle with a small circle above it and a cross-like shape below. To the right of the icon, the text "zin lux lighting" is written in a lowercase, sans-serif font, with "zin" on the top line, "lux" in the middle, and "lighting" on the bottom line.

zin
lux
lighting

The logo for hellenic griglia features a stylized globe icon on the left, composed of a grid of small squares. To the right of the icon, the text "hellenic griglia" is written in a lowercase, sans-serif font, with "hellenic" on the top line and "griglia" on the bottom line.

hellenic
griglia